





# MAKING PACKAGING **SIMPLE & STRONG**

Leading Manufacturer of Packaging Machines



## WS ECONOMIC



### FEATURES

- Wrapping in semi-automatic and manual modes
- Reliable film-tension for consistent wrapping  
Pre-Stretch up to 180%
- Cost-effective wrapping with minimal energy and film waste
- Automatic pallet height detection
- START wrapping with the “Push&Go” function
- Rigid turntable suitable for all heavy industrial applications
- Turntable-oriented Stop
- User-friendly analog display interface for control
- Simple construction for easy maintenance

### PRE-STRETCH OPTIONS

 **25**  
 pal. / hour

 **2**  
 Programs

 **2000**  
 Kilogram



Hand Brake



Mechanical



Electromagnet

## WMS STANDARD



### FEATURES

- Wrapping in semi-automatic and manual mode
- High-efficiency powered pre-stretch unit up to 300%
- Pre-stretch lifting controlled by a chain drive mechanism
- Reduced costs with improved wrapping quality and firmness
- Heavy-duty turntable suitable for industrial applications
- PLC – based control system
- Electric top-plate option for unstable goods
- User-friendly analog display or touch screen interface for control
- Modular design for easy customization and maintenance

### PRE-STRETCH OPTIONS

 **25**  
 pal. / hour

 **6**  
 Programs

 **2000**  
 Kilogram



Hand Brake



Mechanical



Electromagnet



Single Motor



Double Motor

## SPECIFICATION FOR STRETCH WRAPPING MACHINES

Model	WS	WMS
Maximum wrapping height (mm)	2250	2430 - 3630
Capacity (Pal.Hr)	25	25
Max Loading (kg)	2000	2000 - 2500
Turntable speed (rpm)	3-10	3-10
Turntable size (mm)	1500 – 1800	1500 - 2300
Pre-stretching foil device	Hand Brake, Mechanical, Electromagnet	Hand Brake, Mechanical, Electromagnet, 1 el. motor and 2 el motor
Turntable speed regulation "Soft START":	VFD	VFD
Pallet height reading	Optical	Optical
Max. Powered Stretch	180%	300%
Machine weight (Base) / With Top plate (kg)	370	480 / 550
Power supply , Electric Input kVA	1x230V, 1	1x230V, 1.9 to 2.25
<b>Film Details</b>		
Material	LLDPE Stretch film	LLDPE Stretch film
Film Width	500mm	500mm
Film Thickness Range	20 – 40 µm	20 – 40 µm
Pipe Diameter	76mm	76mm
Max. Film Diameter	250mm	250mm

## APPLICATION FOR STRETCH WRAPPING MACHINES

Textile yarns like cotton, polyester, jute, etc., castings, canned foods, bottle crates, fertilizers or grains in sacks & bags, pails & tins, carton boxes, ceramic items, tiles, and many more.



## CONTIPACK




Horizontal wrapping machines are used mainly for packaging of goods in a large ratio of diameter vs. length. Packaging in stretch foil perfectly protects the goods against mechanical damage and weather (against water, humidity, dust). It is suitable for applications with requirements on the great versatility of packaging and alternating assortment of goods, low cost and at the same time good quality packaging.

### SPECIFICATION FOR CONTIPACK STRETCH WRAPPING MACHINES

Models	Contipack 25	Contipack 60
Maximum goods diagonal (mm)	250	600
Dimensions HxWxL (Without Conveyor)	1590x860x980	1630x1230x1000
Ring (mm)	250	600
Revs Max (min-1)	150	90
Input Pressure	0.6 to 1.2 MPa	
Wrapping Film Width	100 to 125	
Weight	230	240
Conveyor Height	1085	890
Electric input kVA and Power Supply	1 & 230 V/ 50Hz	

### APPLICATION FOR CONTIPACK STRETCH WRAPPING MACHINES

Plastic and aluminum profiles, Pipes, tubes, rods, and bars, Wooden boards, planks, doors, and panels, Paper rolls, textile rolls, and carpets, Window and door frames, Furniture parts and long industrial components



**OTHER PRODUCT PORTFOLIO**



**WMS AUTOMATIC**



**WMS ROLO STANDARD**




**CONTIPACK**




**HYDRAULIC BALING PRESSES**



**CONVEYOR**



**STRETCH FILMS**



**PALLET STACKER**

## OPTIONAL MACHINE VERSION & ACCESSORIES



- Approach ramp - extended 1700mm
- Turntable with scale (load capacity 1200 kg)
- Approach ramp for turntable with scale - extended 1700mm
- Pit frame for machine integration into the floor
- Automatic foil tearing
- Top sheet holder for hand application
- Non-standard color version

## ABOUT US

Ekobal India is part of the Ekobal Group from Czech Republic, bringing over 30 years of European packaging expertise to India. We provide advanced pallet wrapping, stretch film, and automation solutions for modern industries. we deliver reliable and efficient packaging systems.

## GLOBAL FOOTPRINTS

- Czech Republic • Austria • Romania • Slovakia • France • Germany • Greece • Italy • Poland • Russia
- Switzerland • Denmark • Finland • Norway • Ireland • Sweden • Slovenia • Spain • Portugal

 [mail@ekobal.in](mailto:mail@ekobal.in)

 +91 7904610866  
+91 7550229963

 [www.ekobal.in](http://www.ekobal.in)

 Ekobal India Pvt. Ltd.  
No.5 Periyar Nagar,  
Saravanampatti,  
Coimbatore  
Pin - 641035.